

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	12-12-2025 20:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	12-12-2025 20:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
कुल मात्रा / Total Quantity	73
वस्तु श्रेणी / Item Category	HYDRAULICALLY REGULATED DOOR CLOSERS (Q3) , Stainless Steel Butt Hinges as per IS 12817 (Q3) , PVC gitti (Q3) , Wood screws (Q3) , Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778 (Q3) , Hasps and Staples as per IS 363 (Q3) , Varnishes or Shellac Varnish as per IS 347 (Q3) , Thinner For Epoxy Paints (BHEL) (Q3) , Wire Mesh Fabric or Cloth (V2) as per IS 1568 (Q3) , Lock Stopper key (Q3) , Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 (Q2) , Lock Washer (Q3) , Curtain Pipe, Sider and mounting bracket (Q4) , Tapping screws (Q3)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	3 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	HYDRAULICALLY REGULATED DOOR CLOSERS
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1+15\%$ (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is

validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

HYDRAULICALLY REGULATED DOOR CLOSERS (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Types of door closers	Bottle type (Type A) - As per Fig. 1 and 2 of governing specification, Tubular type (Type B)- As per Fig. 3 and 4 of governing specification
	Nominal sizes of door closers	Designation of closer: 1 - for light doors such as double leaved and toilet doors (Mass of door up to 35 Kgs and width of door up to 700 mm), Designation of closer: 2 - for interior door such as of bed room, kitchen and store (Mass of door 36 to 60 Kgs and width of door 701 to 850 mm), Designation of closer: 3 - for main doors in a building such as entrance doors (Mass of door 61 to 80 Kgs)
	Scope of supply	Assembled Ready to Use, Knocked Down to be Assembled at Consignee Site by the Seller, Knocked Down to be Assembled at Consignee Site by Consignee Himself
	Type of Closer (based on direction of the opening of door)	Left Closer (for Clock wise Door), Right Closer (for Anti-clock wise door), Universal Closer (suitable for both anti-clockwise and clockwise doors without any change in the parts of closer)
	Closing time of regulating screw	5 Secs, 10 Secs, 15 Secs, 20 Secs
MATERIAL FOR COMONENT PARTS	Non-porous body and back plate	Cast iron confmg. to IS 210 : latest, Aluminium alloy confmg. to IS 617 : latest, Zinc alloy confmg. to IS 742 : latest
	Torsion spring helcal spring	Steel confmg. to IS 4454 (PART 2) : latest, Steel confmg. to IS 2507 : latest
	Nuts	Cast iron confmg. to IS 210 : latest, Steel confmg. to IS 7283 : latest, Brass confmg. to IS 292 : latest

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Piston or Rack-piston/pinion	Cast iron confmg. to IS 210 : latest, Steel aluminium alloy confmg. to IS 7283 : latest, Aluminium alloy confmg. to IS 617 : latest, Zinc alloy confmg. to IS 742 : latest
	Packing / Washers	Cork sheet confmg. to IS 4253 (Part 1) : latest, Nylon, Neoprane rubber
	Control valve screw	Brass confmg. to IS 292 : latest, Bronze confmg. to IS 28 : latest, Aluminium alloy confmg. to IS 617 : latest, Steel confmg. to Grade A of IS 2062 : latest, Zinc alloy confmg. to IS 742 : latest
	Adjusting Arm	Aluminium alloy confmg. to IS 617 : latest, Steel confmg. to IS 7283 : latest, Zinc alloy confmg. to IS 742 : latest, Forged steel confmg. to IS 1875 : latest
	Main Arm	Aluminium alloy confmg. to IS 617 : latest, Steel confmg. to IS 7283 : latest, Zinc alloy confmg. to IS 742 : latest, Forged steel confmg. to IS 1875 : latest
	Clamp	Cast iron confmg. to IS 210 : latest, Steel confmg. to IS 7283 : latest, Forged steel confmg. to IS 1875 : latest
	Concentric ratchet (For bottle type)	Steel confmg. to IS 7283 : latest, Aluminium alloy confmg. to IS 617 : latest, Zinc alloy confmg. to IS 742 : latest, N.A
	Internal bearing and gland	Cast iron confmg. to IS 210 : latest, Brass confmg. to IS 292 : latest, Steel confmg. to IS 7283 : latest, with Washer made out of mineral oil resistant material
	Pawl	Steel confmg. to IS 7283 : latest, Brass confmg. to IS 292 : latest
	Top lid	Steel sheet confmg. to IS 513 : latest, Aluminium alloy sheet confmg. to IS 737 : latest, Cast iron confmg. to IS 210 : latest, Zinc alloy confmg. to IS 742 : latest, Aluminium alloy confmg. to IS 617 : latest
FINISHING	Finish of door closer	Be polished and finished with lacquer in colours, Be painted and finished with lacquer in colours, Be anodized and thickness of anodic coating shall not be less then Grade AC 15 of IS 1868 – Latest (In case of aluminium body)
WARRANTY	Warranty period	1 – Year, 2 – Years, 3 – Years
CERTIFICATION	ISI Mark	Yes, No
	Test reports in respect of to be furnished to buyer's on demand	Yes, No
	OEM of offered product is ISO 9001:2015 certified	Yes, No
	OEM of offered product is ISO 14001:2015 certified	Yes, No
	OEM of offered product is ISO 18001:2007 certified	Yes, No

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Specification Document	View
-----------------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	2	15

Stainless Steel Butt Hinges As Per IS 12817 (6 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Types	Light weight(Narrow) hinges, Light weight unequal flap hinges,Medium weight hinges, Medium weight(Narrow), Heavy weight unequal flap hinges
Materials	Material of Flap	Stainless Steel Grades X15Cr16Ni2 of IS 6911, Stainless Steel Grades X07Cr18Ni9 of IS 6911
	Material of Pin	Stainless Steel Grades X04Cr18Ni10 of IS 6528, Stainless Steel Grades X07Cr18Ni9 of IS 6528, Stainless Steel Grades X10Cr17Mn6Ni4N of IS 6528
DIMENSION	Equal Size of Hinge(in mm)	100
	Unequal Size of Hinge(in mm)	50 x 10 x 16, 50 x 12 x 19, 65 x 10 x 16, 65 x 12 x 19, 75 x 10 x 16, 75 x 12 x 19, 75 x 13 x 19, 100 x 13 x 19, NA

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
----------------	--	-------------	------------------	------------------------------

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	6	15

PVC Gitti (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Diameter of open end	3, 4, 5, 6, 7, 8, 10 (millimeter)
	Size	2.0 (inch)
Generic	Pieces per pack	100
	Packing	Loose, LDPE packing, Cardboard box

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	5	15

Wood Screws (2 kilogram)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Item	Item	Slotted raised countersunk head wood screws as per IS 6736:Latest, Slotted round head wood screws as per IS 6739: Latest, Slotted countersunk head wood screws as per is 6760:Latest
Material	Material	Carbon steel Grade 1 conforming to IS 1812, Carbon steel Grade 2 conforming to IS 1812, Carbon steel Grade 3 conforming to IS 1812, Brass conforming grade CuZn37to IS 4170, Brass conforming grade CuZn40to IS 4170, Stainless Steel 304
Specification	Conformity to IS	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	ISI Marked	Yes, No
Dimension	Screw Number	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 24, 28, 32
	Length of screw(in mm)	25

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	2	15

Wood Screws (3 kilogram)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Item	Item	Slotted raised countersunk head wood screws as per IS 6736:Latest, Slotted round head wood screws as per IS 6739: Latest, Slotted countersunk head wood screws as per is 6760:Latest
Material	Material	Carbon steel Grade 1 conforming to IS 1812, Carbon steel Grade 2 conforming to IS 1812, Carbon steel Grade 3 conforming to IS 1812, Brass conforming grade CuZn37to IS 4170, Brass conforming grade CuZn40to IS 4170, Stainless Steel 304
Specification	Conformity to IS	Yes, No
	ISI Marked	Yes, No
Dimension	Screw Number	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 24, 28, 32
	Length of screw(in mm)	50

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	3	15

Chlorinated Polyvinyl Chloride (CPVC) Pipes For Potable Hot And Cold Water Distribution Supplies (V2) As Per IS 15778 (3 meter)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Governing Specifications	Governing Specifications	Generally conforming to IS:15778(latest)
Classifications and Dimensions	Classification of Pipes	Pressure Class 1, Pressure Class 2, Pressure Class 3
	Nominal Size (DN) (in mm)	25
	Effective length (in meter)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	3	15

Hasps And Staples As Per IS 363 (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Item	Types	Type 1(Mild steel hasps and staples- safety type), Type 1 (brass hasps and staples- safety type), Type 1 (aluminium alloy hasps and staples- safety type), Type 2(Mild steel hasps and staples- wire type)
Dimension	Type 1 Size (in mm)	90, 115, 150, 175, NA
	Type 2 Size (in mm)	100
Finish	Finish	Stove enamelled, black, Oxidized, Lacquer, Anodized

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	2	15

Varnishes Or Shellac Varnish As Per IS 347 (6 liter)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Physical Characteristics	Colour	Dark Brown

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	6	15

Thinner For Epoxy Paints (BHEL) (20 liter)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Technical Specifications and Requirement of the products	As per BHEL Spec. AA56708 (Attached)

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Verified and Signed Tp document	View
---------------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	20	15

Wire Mesh Fabric Or Cloth (V2) As Per IS 1568 (10 kilogram)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Standards	Product ISI marked	Yes, No
Product & Material	Material	Brass, Bronze, Mild steel, Aluminium alloy, Plastic
	Protective covering on the wire	Yes, No
Design & Dimension	Aperture	Rectangular, Square
	Average width of Aperture	150 microns, 180 microns, 212 microns, 250 microns, 300 microns, 355 microns, 425 microns, 500 microns, 600 microns, 710 microns, 850 microns, 1.00mm, 1.18mm, 1.40mm, 1.70mm
	Nominal diameter of mesh Wire(mm)	0.071, 0.08, 0.1, 0.112, 0.125, 0.14, 0.16, 0.18, 0.2, 0.22, 0.25, 0.28, 0.32, 0.36, 0.4, 0.41, 0.45, 0.50, 0.56, 0.58, 0.63, 0.71, 0.8
	Length of woven wire cloth (meter)	15, 30
	Width of woven wire cloth (mm)	300, 450, 600, 900, 1200
Reports and Certifications	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	10	15

Lock Stopper Key (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material Specifications	Material	Stainless Steel, Aluminium, HDPE(Plastic, Rubber, Steel, Glass
Dimension	Head Diamater	4.0 (millimeter)

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	2	15

Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 (4 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Governing Specification	As per IS 204
	BIS Marked	Yes
	Type of tower bolts as per CI 3.1 of IS 204	Barrel Tower Bolts, Skeleton Tower Bolts

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Sub-type of tower bolts as per CI 3.1 of IS 204	Brass Barrel Tower Bolts (Type - 1A), Brass Barrel Tower Bolts (Type - 2A), Brass Barrel Tower Bolts (Type - 3A), Aluminium Alloy Barrel Tower Bolts (Type - 4A), Zinc Barrel Tower Bolts (Type - 5A), Brass Skeleton Tower Bolts (Type - 6B), Brass Skeleton Tower Bolts (Type - 7B), Aluminium Skeleton Tower Bolts (Type - 8B), Zinc Skeleton Tower Bolts (Type - 9B)
MATERIAL	Material of Aluminium alloy tubes as per Table 3 of IS 204(Part 2)	designation 63400 WP or 63400 P of IS 1285
	Material of Aluminium alloy extruded rods as per Table 3 of IS 204(Part 2)	Designation 65032 WP of IS 733
	Brass sheets as per Table 3 of IS 204(Part 2)	Alloy designation CuZn 40 Condition HD of IS 410
	Cast brass as per Table 3 of IS 204(Part 2)	Grade CB.2 of IS 292
	Extruded brass as per Table 3 of IS 204(Part 2)	Type II Half hard condition of IS 319
	Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)	Alloy Zn A14 Die casting of IS 742
Constructional	Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)	Screwed, Riveted, Integrated with Bolt, Pin
	Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)	Yes, NA
	Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)	Yes, NA
DIMENSIONS	Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)	75, 100, 125, 150, 175, 200, 225, 250, 300, NA
	Diameter of Barrel and Skeleton Tower bolts (mm)	10, 12
	Width of Barrel Tower bolts (mm)	32, 38, NA
	Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts	6, 8, 10, NA
	Length of socket as per Table 1 of IS 204 (Part 2)	25, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.5, 2, NA
	Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.6, 2.4, NA
	Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)	1-1.25, NA
	Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)	375, 450, 600, 750, 900, NA
	Width of Bolt plate or staple of Skeleton tower bolts (mm)	32, 38, NA
	Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts	10, 12, 14, 18, NA
	Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	22, 25, NA
	Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)	1.2, 1.6, NA
	Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)	1.6, 2.4, NA
	No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	3, 4, 5, 6, NA
Marking and Packing	Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)	Yes, NA
	Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)	Yes, NA
TEST REPORT	Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest	Yes, No
	Test reports to be furnished to buyer on demand	Yes, No

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	4	15

Lock Washer (1 packet)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Constructional parameters	Type	Split lock, sealing, External tooth, internal tooth, flat, flat retaining
	Material	Mild steel, Carbon steel, Stainless steel, Brass, Iron, Copper
Generic	Warranty (Years)	1, 2, 3, NA
	Packing quantity	100

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	1	15

Curtain Pipe, Sider And Mounting Bracket (1 meter)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	ITEM	Curtain Pipe, Sider, Hanging Bracket, Curtain Pipe with Sider and hanging bracket

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
OTHER REQUIREMENTS	Sider(one pair per pipe)	With, Without
DIMENSON	Outside Diameter of curtain pipe (in mm)	19mm, 25mm, 30mm
	Length of curtain pipe(In Meter)	3
	Minimum Wall thickness of pipe (In MM)	1, 2, 3, 4, 5 Or higher
	Minimum thickness of Curtain pipe hanging bracket (in mm)	2, 3 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	1	15

Wood Screws (4 kilogram)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Item	Item	Slotted raised countersunk head wood screws as per IS 6736:Latest, Slotted round head wood screws as per IS 6739: Latest, Slotted countersunk head wood screws as per is 6760:Latest
Material	Material	Carbon steel Grade 1 conforming to IS 1812, Carbon steel Grade 2 conforming to IS 1812, Carbon steel Grade 3 conforming to IS 1812, Brass conforming grade CuZn37to IS 4170, Brass conforming grade CuZn40to IS 4170, Stainless Steel 304
Specification	Conformity to IS	Yes, No
	ISI Marked	Yes, No
Dimension	Screw Number	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 24, 28, 32
	Length of screw(in mm)	75

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	4	15

Tapping Screws (2 kilogram)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Item	Item	Slotted raised countersunk (oval) head tapping screws (common head style) as per IS 7169:Latest, Slotted countersunk (Flat) head tapping screws (common head style) as per IS 7170:Latest, Slotted pan head tapping screws as per IS 7173:Latest, Pan headed
	Type of Screw	Type C, Type F
Specification	Conformity to IS specification	Yes, No
	ISI Marked	Yes, No
Dimension	Thread Size	ST 2.2, ST 2.9, ST 3.5, ST 4.2, ST 4.8, ST 5.5, ST 6.3, ST 8, ST 9.5, 4.8, ST.10
	Nominal Length (in mm)	50

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Panchkula	2	15

Special terms and conditions-Version:1 effective from 25-09-2024 for category Stainless Steel Butt Hinges as per IS 12817

- Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

Special terms and conditions-Version:1 effective from 23-01-2025 for category Varnishes or Shellac Varnish as per IS 347

1. The product may also carry an ISI Mark/Standard Mark as per the BIS standard governing this category. As such Buyers may also opt for ISI marked product while creating BID. In such cases buyer shall verify valid BIS License for the same at the time of evaluation of BID and check ISI marking at the time of receipt of material before issuing CRAC.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

118 Engr Regt Chandimandir

Nil

Nil

Nil

Nil

.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

4. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

5. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file](#).

7. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

9. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

10. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

11. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

12. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent

Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---